

HEMOPLEX®

REGISTRATION: Q-0209-040



Injectable solution.

Hematinic and general tonic.



FORMULA

Each 100 mL contains:

Sodium cacodylate	3 g
Iron citrate	2 g
Cobalt acetate	50 mg
Copper sulfate	50 mg
Manganese chloride	5 mg
Vitamin B12	50 mcg
Vehicle q.s.	100 mL

Use in species



Cattle



Horses



Sheep



Goats



Dogs



Swine



Cats

INDICATIONS FOR USE AND TARGET SPECIES

Deficiency-type anemia, anemia due to rapid destruction of red blood cells, hemorrhages, nutritional deficiencies, exhaustion, and weakness caused by infectious or parasitic diseases.

DOSAGE:

Animal	Dosage
Cattle and horses:	10–20 mL.
Calves and foals:	5–10 mL.
Swine, sheep, and goats:	5 mL.
Piglets:	1–2 mL.
Dogs and cats	1 mL per 5 kg.

In larger species, full treatment consists of 5 applications, one every third day. In severe cases, administer daily until completing the series.

ROUTE OF ADMINISTRATION: Intramuscular, intravenous, or subcutaneous.



WITHDRAWAL PERIOD:

Do not use this product within 5 days before slaughter of animals intended for human consumption. Milk from treated animals must not be used for human consumption or processing until 5 days after the last treatment.

STORAGE CONDITIONS:

Store in a cool, dry place protected from light. Keep out of reach of children and domestic animals.

WARNINGS:

Do not administer to horses intended for human consumption. Do not inject more than 10 mL at the same site via intramuscular or subcutaneous route. Sale requires a medical prescription. Veterinary use only. Consult a Veterinarian.

For exclusive use by the Veterinarian.